



Pump type	P2 [hp]	Ph.	Dimensions [inch]							Ship Wt. [lbs.]	Dimensions [inch]			Ship Wt. [lbs.]	
			PJE*	B1	TEFC			ODP			MLE				
					D1	D2	B1+B2	D1	D2		B1+B2	D1	D2		B1+B2
CRN(E) 20-1	3	1	•	17.13	8.60	6.87	31.78	-	-	-	174	-	-	-	-
			•	17.13	7.01	4.33	30.36	-	-	-	145	7.01	6.57	29.93	154
CRN(E) 20-2	5	1	•	17.13	10.62	7.46	32.65	-	-	-	198	-	-	-	-
			•	17.13	8.66	5.28	32.64	-	-	-	195	8.66	7.40	29.93	185
CRN(E) 20-3	7 1/2	1	•	19.21	10.22	7.62	34.74	-	-	-	216	-	-	-	-
			•	19.21	8.66	5.28	34.72	-	-	-	203	8.66	7.40	19.21	216
CRN(E) 20-4	10	1	•	20.98	10.23	10.30	37.05	-	-	-	331	-	-	-	-
			•	20.98	8.66	5.28	36.49	-	-	-	207	10.24	8.39	34.29	225
CRN(E) 20-5	15	3	•	25.28	10.22	8.67	41.86	10.62	7.33	41.59	394	13.39	12.13	44.06	480
CRN(E) 20-6	15	3	•	27.05	10.22	8.67	43.63	10.62	7.33	43.36	396	13.39	12.13	45.83	484
CRN 20-7	20	3	•	28.82	10.22	8.67	45.40	11.50	8.92	48.51	431	-	-	-	-
CRN(E) 20-8	20	3	•	30.59	10.22	8.67	47.17	11.50	8.92	50.28	435	13.39	12.13	49.37	501
CRN(E) 20-10	25	3	•	33.50	12.94	11.52	53.32	11.50	8.94	54.31	490	13.39	12.13	56.22	537

All dimensions in inches unless otherwise noted.

*PJE flanged pump B1 and B1+B2 dimension is equal to ANSI flanged pumps and weight is approximately 9 lbs. less.

- Available.