



Pump type	P2 [hp]	Ph.	PJE*	ANSI dimensions [inch]									Ship Wt. [lbs.]	ANSI dimensions [inch]				Ship Wt. [lbs.]
				B1	TEFC			ODP			MLE							
					D1	D2	B1+B2	D1	D2	B1+B2	D1	D2		B1+B2				
CRN(E) 10-1	1	1	•	15.20	7.19	5.73	26.39	-	-	-	106	5.55	5.51	24.18	97			
		3	•	15.20	5.55	4.57	22.64	-	-	-	97	7.01	6.57	28.00	119			
CRN(E) 10-2	1 1/2	1	•	15.20	7.19	5.73	26.88	-	-	-	121	-	-	-	-			
		3	•	15.20	5.55	4.57	23.82	-	-	-	99	7.01	6.57	28.00	119			
CRN 10-3	3	1	•	17.13	8.60	6.87	31.78	-	-	-	176	-	-	-	-			
		3	•	17.13	7.01	4.33	30.36	-	-	-	147	-	-	-	-			
CRN(E) 10-4	3	1	•	18.31	8.60	6.87	32.96	-	-	-	176	-	-	-	-			
		3	•	18.31	7.01	4.33	31.54	-	-	-	149	7.01	6.57	31.62	157			
CRN 10-5	5	1	•	19.49	10.62	7.46	35.01	-	-	-	203	-	-	-	-			
		3	•	19.49	8.66	5.28	35.00	-	-	-	199	-	-	-	-			
CRN(E) 10-6	5	1	•	20.67	10.62	7.46	36.19	-	-	-	205	-	-	-	-			
		3	•	20.67	8.66	5.28	36.18	-	-	-	201	8.66	7.40	36.18	194			
CRN 10-7	7 1/2	1	•	22.17	10.22	7.62	37.70	-	-	-	227	-	-	-	-			
		3	•	22.17	8.66	5.28	37.68	-	-	-	214	-	-	-	-			
CRN(E) 10-8	7 1/2	1	•	23.35	10.22	7.62	38.88	-	-	-	229	-	-	-	-			
		3	•	23.35	8.66	5.28	38.86	-	-	-	216	8.66	7.40	38.86	229			
CRN 10-9	7 1/2	1	•	24.53	10.22	7.62	40.06	-	-	-	232	-	-	-	-			
		3	•	24.53	8.66	5.28	40.04	-	-	-	218	-	-	-	-			
CRN(E) 10-10	7 1/2	1	•	25.71	10.22	7.62	41.24	-	-	-	234	-	-	-	-			
		3	•	25.71	8.66	5.28	41.22	-	-	-	221	8.66	7.40	41.22	234			
CRN(E) 10-12	10	1	•	28.07	10.23	10.30	44.14	-	-	-	346	-	-	-	-			
		3	•	28.07	8.66	5.28	43.58	-	-	-	225	10.24	8.39	42.99	243			
CRN(E) 10-14	15	3	•	32.95	10.22	8.67	49.53	10.62	7.33	49.25	432	13.39	12.13	51.73	497			
CRN 10-16	15	3	•	35.31	10.22	8.67	51.89	10.62	7.33	51.63	442	-	-	-	-			
CRN(E) 10-17	15	3	•	37.68	10.22	8.67	54.26	10.62	7.33	54.00	447	13.39	12.13	56.46	513			

All dimensions in inches unless otherwise noted.

*PJE flanged pump B1 and B1+B2 dimension is equal to ANSI flanged pumps and weight is approximately 9 lbs. less.

• Available